Step 2: Set Up a Mail Route Using MailEnable SMTP Settings

Before adding mail filters for the users of your domain, you need to follow the steps mentioned below to add mail route for the Vaultastic server. This mail route is a SMTP connector which will be used to route mail from MailEnable to Vaultastic.

As this is a one-time job, if you have already added the mail route for the Vaultastic server, you can skip this step and go to the next step to add mail filter for the user.

1. Navigate to the MailEnable Admin Console

Create a new Post Office say Vaultastic



2. Add New Domain to Vaultastic Post Office.

MaiEnable Management Generating Manager Generating Manager Generating Post Offices Security	Domain Name Smithert.veu/	A Status antic com Enabled	Art Ba	lions mains ·
> In testorg valitatic		New Domain		View New Window from Here
Mailboxes Mailboxes Setups Directory Situps		Refresh		Refresh Help
SMS Addresses		View	>	
Spam Protection		Help		
c t	Create a New Do he Vaultastic Pos	main in t Office		

- 3. Configure properties of the domain as follows.
 - Specify domain name in the format {domain-name}.vaultastic.com

For example:

If the name of your MailEnable domain is baya.in then domain name for the corresponding Vaultastic domain will be baya-in.vaultastic.com

The details of your Vaultastic domain would have been shared with you in the welcome mail, when your domain was created on Vaultastic.

• Enable the option to act the domain as a Smart Host.

mithiint.vaultastic.com Properties	×	
General Blacklist DKIM (DomainKeys) Autodiscover		
Domain Name: Ibaya.vaultastic.com	1. Provide domain name of your Vaultastic domain.	
Abuse (abuse@) address mail gets sent to: (None) ~		
Postmaster (postmaster@) address gets sent to: postmaster		
Act as Smart Host Only relay email from authenticated users	2. Enable the option to act the domain as a Smart Host.	
Redirect mail to (attempt in this order). No MX resolution is done Add	•	
Remove	 Add host name of your Vaultastic domain on which mail need to be archived. 	
OK Cancel Ap	pply	

• Add host name as mailenable-v4.Vaultastic.com (https://mailenable-v4.Vaultastic.com)

mithiint.vaultastic.com Properties ×					
General Blacklist DKIM (DomainKeys) Autodiscover					
Domain Name:					
baya.vaultastic.com					
Domain is disabled					
Abuse (abuse@) address mail gets sent to:					
(None)					
Postmaster (postmaster@) address gets sent to:					
postmaster ~					
Catchall email address/mailbox:					
(None) ~					
Act as Smart Host					
Only relay email from authenticated users					
Redirect mail to (attempt in this order). No MX resolution is done.					
Host × Add					
either the IP address or the domain name of Remove					
Add host name as					
anable.vaultastic.com mailenable.Vaultastic.com					

- NOTE: The diagram shows mailenable.vaultastic.com (https://mailenable.vaultastic.com) instead of mailenable-v4.vaultastic.com (https://mailenable-v4.vaultastic.com). Use mailenable-v4.vaultastic.com (https://mailenable-v4.vaultastic.com)
- Click OK to finish the domain adding process.

mithiint.vaultastic.com Properties	×
General Blacklist DKIM (DomainKeys) Autodiscover	
Domain Name:	
baya.vaultastic.com	
Domain is disabled	
Abuse (abuse@) address mail gets sent to:	
(None) ~	
Postmaster (postmaster@) address gets sent to:	
postmaster ~	
Catchall email address/mailbox:	
(None) ~	
Act as Smart Host Only relay email from authenticated users Redirect mail to (attempt in this order). No MX resolution is done. Mailenable.vaultastic.com Add	
Remove	
	Click OK to proceed
OK Cancel Appl	У