

Release Notes

17th Oct 2024: Version 2.0.0.43

New Request Type Added

A new request type **VAULTASTIC4-M365API** (<https://docs.mithi.com/home/vaultastic4-m365api>) was added to directly copy the contents of a vault on the Vaultastic Active Store to a M365 mailbox.

On the M365 mailbox, the mails are divided into an Incoming and an Outgoing folder depending on whether the mails were received or sent by the primary user specified.

29th Aug 2024: Version 2.0.0.42

Improvements

- The Add Multiple Requests subsystem was updated to incorporate the new capabilities added to requests as follows:
 - VAULATSTIC4-S3-PST - Support for Inbox and Sent Items folders in the output PST file
 - TEAMS-VAULTASTIC4 - Options to specify the S3 bucket and folder to upload large attachments
 - VAULTASTIC4-S3-PST, SHAREPOINT-S3-ZIP, GDRIVE-S3-ZIP, ONEDRIVE-S3-ZIP - Option to define the Doc Type for output
- Improved the validation for all requests generating PST at the destination.
- Added date filters to S32S3-Copy and S32S3-Move request types
- Improved the error handling for MITHI-IMAP-O365 and updated the infrastructure used to execute the request.

Bugs

The Add Multiple Requests option could not be used to upload the requests types:

PST-METADATA
EML-METADATA
ZIP-METADATA

The requests picking data from M365 were adding inline images only as attachments and not displaying them inline

M365API-S3-ZIP
M365API-S3-PST
M365API-VAULTASTIC4

23rd Aug 2024: Version 2.0.0.41


Improvements

The requests VAULATSTIC4-S3-PST was enhanced to segregate the received and sent mail in different folders in the target PST.

20th Aug 2025: Version 2.0.0.40

Release of LegacyFlo Scheduler

Vaultastic Administrators can now configure the system to automatically submit LegacyFlo jobs at predefined intervals. This is useful to automate tasks such as backup of Teams Chat or OneDrive to Vaultastic that need to be executed regularly.



The screenshot shows the 'Request Scheduler' interface. It includes a sidebar with a 'P' icon and a calendar icon. The main area has a title 'Request Scheduler', an 'Add Schedule' button, and a dropdown menu showing 'connectserver-co-in.v...'. Below this is a table with columns: Status, Created On, Name, Description, Request Type, Frequency, State, Last Execution, and Next Execution. The table contains 8 rows of data, all with a 'Disabled' status. The last row shows a 'daily' frequency and a 'completed' state.

Status	Created On	Name	Description	Request Type	Frequency	State	Last Execution	Next Execution
<input type="checkbox"/> Disabled	13-08-2024, 12:39 PM	test_TEAMS-S3-ZIP	test_TEAMS-S3-ZIP	TEAMS-S3-ZIP	weekly	completed	14-08-2024, 12:17 PM	20-08-2024, 5:30 AM
<input type="checkbox"/> Disabled	13-08-2024, 11:15 AM	test_TEAMS-S3-PST	test_TEAMS-S3-PST	TEAMS-S3-PST	weekly	completed	14-08-2024, 12:44 PM	20-08-2024, 5:30 AM
<input type="checkbox"/> Disabled	09-08-2024, 12:53 PM	test PST-METADATA	test PST-METADATA	PST-METADATA	weekly	completed	20-08-2024, 1:24 PM	27-08-2024, 5:30 AM
<input type="checkbox"/> Disabled	09-08-2024, 11:18 AM	test 3 EML-METADATA	test 3 EML-METADATA	EML-METADATA	weekly	failed	13-08-2024, 10:14 AM	20-08-2024, 5:30 AM
<input type="checkbox"/> Disabled	09-08-2024, 10:44 AM	test 2 EML-METADATA	test 2 EML-METADATA	EML-METADATA	weekly	failed	09-08-2024, 10:44 AM	13-08-2024, 5:30 AM
<input type="checkbox"/> Disabled	09-08-2024, 10:04 AM	test EML-METADATA	test EML-METADATA	EML-METADATA	weekly	failed	09-08-2024, 10:04 AM	13-08-2024, 5:30 AM
<input type="checkbox"/> Disabled	09-08-2024, 9:39 AM	test 2 ONEDRIVE-S3-ZIP	test 2 ONEDRIVE-S3-ZIP	ONEDRIVE-S3-ZIP	daily	completed	09-08-2024, 9:40 AM	10-08-2024, 5:30 AM

To schedule the submission, administrators can navigate to the Scheduler and define the schedules. The Scheduler also provides details of all the executions of the Schedules. You can drill down to get the LegacyFlo request IDs submitted as part of each execution.

For details on accessing the Scheduler and scheduling and monitoring, [refer to the article here](https://docs.mithi.com/home/legacyflo-scheduler) (<https://docs.mithi.com/home/legacyflo-scheduler>).

31st Jul 2024: Version 2.0.0.39

New Request Type Added

A new request type MITHI-IMAP-0365 was added to smoothly migrate email data from a SkyConnect mailbox to a M365 mailbox.

23rd July 2024: Version 2.0.0.38

Improvement:

The resources allocated for frequently executed requests for the automation of movement of data from the Active to the Open/Deep Stores were optimized for better performance and to ensure availability.

22nd July 2024: Version 2.0.0.37

Improvement:

The mechanism to allocate resources to requests was improved to allocate storage as per the exact requirements and also to minimize failures.

18th July 2024: Version 2.0.0.36

Improvement:

The M365 Teams requests (TEAMS-S3-ZIP, TEAMS-S3-PST and TEAMS-VAULTASTIC4) used to upload data to Vaultastic were enhanced as follows:

- Files upto 45 MB are uploaded as attachments to the email directly
- Files with sizes over 45MB are first copied to the Open Store of the destination Vaultastic domain and the path to the file is inserted in the email.
- The Teams API calling mechanism was improved for better performance

15th July 2024: Version 2.0.0.35

Improvement:

The compute resources for the following request types were updated to use the latest architecture to enhance performance

- VAULTASTIC-EDISCOVERY-EXPORT
- VAULTASTIC4-S3-PST
- VAULTASTIC4-S3-ZIP
- TEAMS-S3-ZIP
- TEAMS-S3-PST
- TEAMS-VAULTASTIC4

3rd July 2024: Version 2.0.0.34

Improvement:

The request type ONEDRIVE2-S3-ZIP now has an option to copy the selected files directly to the destination folder without adding them to a zip file.

2nd July 2024: Version 2.0.0.33

New Request Types

Two new request types to copy data from S3 buckets to a GDrive and vice versa have been released.

1. S32GDRIVE-COPY - This will copy the S3 object to GDrive.
2. S32GDRIVE-MOVE - This will move the S3 object to GDrive.

25th June 2024: Version 2.0.0.32

Bug

Some request types assumed that the storage attached for request execution is empty. This caused some unwanted data to be attached. Ensured all storage is cleaned before execution.

21st June 2024: Version 2.0.0.31

Improvement

Implemented new Legacyflo Architecture to improve system performance by attaching the storage required by the request.

24th Apr 2024: Version 2.0.0.30

New Request Types

Two new request types to copy data from S3 buckets to an FTP server and vice versa have been released.

1. [FTP2S3-COPY: Copy Files from FTP server using ftp or sftp protocol to S3 bucket](https://docs.mithi.com/home/copy-files-from-a-ftp-server-to-an-aws-s3-bucket) (<https://docs.mithi.com/home/copy-files-from-a-ftp-server-to-an-aws-s3-bucket>)
2. [S32FTP-COPY: Copy Files from S3 bucket to FTP server using ftp or sftp protocol](https://docs.mithi.com/home/copy-files-from-aws-s3-to-a-ftp-server) (<https://docs.mithi.com/home/copy-files-from-aws-s3-to-a-ftp-server>)

22nd Apr 2024: Version 2.0.0.29

New Request Type

A new request type to copy files from a S3 bucket to a Azure Blob Storage has been added.

The details of request type S32AZUREBLOB-COPY are [given here](https://docs.mithi.com/home/copy-files-from-aws-s3-to-azure-blob-storage) (https://docs.mithi.com/home/copy-files-from-aws-s3-to-azure-blob-storage).

27th Mar 2024: Version 2.0.0.27

New Request Type

New request types to manage your S3 buckets or the data on Vaultastic Open or Deep Stores have been added.

The new request types are [S32S3-Move](https://docs.mithi.com/home/s32s3-move) (https://docs.mithi.com/home/s32s3-move) and [S3-Delete](https://docs.mithi.com/home/s3-delete) (https://docs.mithi.com/home/s3-delete).

8th Mar 2024: Version 2.0.0.26

New Request Type

LegacyFlo can now be used to upload data from M365 Teams Chat to data files on Vaultastic Open & Deep Stores or any S3 bucket and also to the Vaultastic Active Store.

Along with Vaultastic, these request types can help organizations with the Continuity, Supervision or Compliance use cases by archiving the internal communications on the Teams Chat

For details refer to:

- [How to upload M365 Teams Chat data to the Vaultastic Open Store](https://docs.mithi.com/home/backup-m365-teams-data-onto-the-vaultastic-open-store) (https://docs.mithi.com/home/backup-m365-teams-data-onto-the-vaultastic-open-store)
- [How to upload M365 Teams Chat data to the Vaultastic Active Store](https://docs.mithi.com/home/backup-m365-teams-data-onto-the-vaultastic-active-store) (https://docs.mithi.com/home/backup-m365-teams-data-onto-the-vaultastic-active-store)
- [How to upload M365 Teams Chat data to a S3 bucket in your AWS account](https://docs.mithi.com/home/backup-m365-teams-data-to-your-own-s3-bucket) (https://docs.mithi.com/home/backup-m365-teams-data-to-your-own-s3-bucket)

28th Feb 2024: Version 2.0.0.25

Improvements

The S3 bucket registration flow was updated to validate the region specified.

22nd Feb 2024: Version 2.0.0.24

Improvements

The infrastructure used to execute the Vaultastic automation requests was updated.

15th Feb 2024: Version 2.0.0.23

Improvements

The request types EML-EXTRACT, PST-EXTRACT and ZIP-EXTRACT were updated to allow users to specify whether the extracted files were to be added to a zip file or uploaded individually.

9th Feb 2024: Version 2.0.0.22

Improvements:

The S32S3-COPY request was updated to process an input having 5000 file names. The earlier limit was 150.

31st Jan 2024: Version 2.0.0.21

Improvements

Added new request types to support the Vaultastic Storage management automation.

29th Jan 2024: Version 2.0.0.20

Improvements

Fixed issues in the Ediscovery export request

Fixed issues in LegacyFlo UI for listing request categories

14th Jan 2024: Version 2.0.0.19

Improvement:

Improvements to the requests to export data from mailboxes hosted on Mithi SkyConnect

21th Dec 2023: Version 2.0.0.18

Improvement:

The validation in the M365 and GMail API jobs was improved.

7th Dec 2023: Version 2.0.0.17

Improvement:

The LegacyFlo UI was updated for additional roles.

23rd Nov 2023: Version 2.0.0.16

Improvement:

Update the infrastructure for the S32S3-COPY request type.

22nd Nov 2023: Version 2.0.0.15

Improvements:

The EML-MITHI-IMAP job was enhanced to take a port number on the destination.

The S32S3-COPY request type was enhanced to allow two types of operations, Copy or Sync.

The UI was updated to allow re-starting terminated requests.

10th Nov 2023: Version 2.0.0.14

Improvements:

Enabled Add Multiple Requests support for GMAILAPI-VAULTASTIC4.

Improved the S32S3-COPY request interface to make the input CSV an optional parameter and add a Since date filter.

1st Nov 2023: Version 2.0.0.13

Improvements:

Updated the LegacyFlo UI for M365 key registration

10th Oct 2023: LegacyFlo v2.0.0.11

Improvement:

Added new LegacyFlo requests to support the automatic movement of data from Active to Open Stores

9th Oct 2023: Version 2.0.0.10

New Request Types Added

Added [M365API-VAULTASTIC4 and GMAILAPI-VAULTASTIC4 request types](https://docs.mithi.com/home/import-from-a-mailbox-into-vaultastic-v4-active-store) (<https://docs.mithi.com/home/import-from-a-mailbox-into-vaultastic-v4-active-store>) to upload data from mailboxes hosted on M365 and GMail directly to vaults on the Active Store.

5th Oct 2023: Version 2.0.0.9

Improvements:

The LegacyFlo requests used for automatic movement and cleanup of data from active to open were further improved.

26th Sep 2023: Version 2.0.0.8

Improvements:

The LegacyFlo requests used for automatic movement and cleanup of data from active to open were improved.

8th Sep 2023: Version 2.0.0.7

New Feature

The export requests fired from the Vaultastic eDiscovery interface of the Active Store are now visible in the LegacyFlo UI.

29th Aug 2023: Version 2.0.0.6

Improvements

The modules to execute LegacyFlo requests from different regions were updated.

16th Aug 2023: Version 2.0.0.5

Improvements

The system was improved to allow a higher concurrency for the Extract requests.

The bugs in the detailed report generation were fixed.

28th July 2023: Version 2.0.0.3

Improvements

The LegacyFlo login page was updated

26th July 2023: Version 2.0.0.2

Improvements


- The 2 request types to copy M365 mailbox data using the Graph API to data files on a S3 bucket were enhanced. [These are M365API-S3-PST and M365API-S3-ZIP request types.](https://docs.mithi.com/home/upload-from-a-mailbox-to-vaultastic-v4-open-store) (<https://docs.mithi.com/home/upload-from-a-mailbox-to-vaultastic-v4-open-store>)
- The 2 new request types to copy GMail mailbox data using the API to data files on a S3 bucket were enhanced. [These are GMAILAPI-S3-PST and GMAILAPI-S3-ZIP request types](https://docs.mithi.com/home/upload-from-a-mailbox-to-vaultastic-v4-open-store) (<https://docs.mithi.com/home/upload-from-a-mailbox-to-vaultastic-v4-open-store>).
- The 1 new request which can copy files from a registered S3 bucket to a register Google Workspace Storage was enhanced. [The request type is S32GCS-COPY](https://docs.mithi.com/home/copy-move-delete-files-from-s3-bucket) (<https://docs.mithi.com/home/copy-move-delete-files-from-s3-bucket>).

20th July 2023: Version 2.0.0.1


The LegacyFlo interface has been updated. The key features of the new interface are as follows:

- The home screen has been **redesigned for greater readability**, with the navigation buttons in the bottom right corner of the home screen.
- The **Add Single Request** and **Add Multiple Requests** options are now accessible from the top left corner of


the Home Screen.



- To navigate easily through the Request types, the requests have now been **categorized by the source**.
- **A brief description of each request type** is given for easy identification of an appropriate request type




- To ease the creation of the csv for adding multiple requests, the **sample CSV is now available for download within the form**



28th June 2023: Version 1.29.30.23

New Feature

A new request type **S32S3-COPY** (<https://docs.mithi.com/home/copy-move-delete-files-from-s3-bucket>) has been added which allows users to copy a set of files from S3 bucket to another.



23rd June 2023: Version 1.29.30.22

Improvements

The OneDrive-S3-Zip, GDrive-S3-Zip requests have been improved to give a list of files that could not be retrieved.

The timestamp from the destination files' names has been removed.

20th June 2023: Version 1.29.30.21

Improvements

The MITHI-S3-PST and MITHI-S3-ZIP have been updated to take the IMAP port as a parameter.

30th May 2023: Version 1.29.30.20

New Features


Added 2 new request types to copy data from the Vaultastic Active Store to the Vaultastic Open Store.

For large vaultastic domains, the dedup on the Active Store saves a significant amount of storage. The dedup works by storing a single copy of the mail on the Active Store and linking it to multiple vaults.

When these emails are moved to the Open Store using VV4-MOVETOINACTIVE-EML or VV4-MOVETOINACTIVE-PST, this advantage of dedup is lost, as these requests move the data for one vault at a time. This means if a mail is referenced in more than one vault, then when the data is copied to the Open Store, each destination file will have a copy of the mail.

The V4DOMAIN-MOVETOINACTIVE-EML and the V4-DOMAIN-MOVETOINACTIVE-PST address this issue and copy email data from the Active Store to the Open Store for the entire domain transacted on the selected day of the month.

For more details refer to [this document \(https://docs.mithi.com/home/how-to-move-data-between-vaultastic-v4-active-and-open-stores\)](https://docs.mithi.com/home/how-to-move-data-between-vaultastic-v4-active-and-open-stores).



The screenshot shows a web application interface for configuring a request. On the left is a dark blue sidebar with icons for 'List', 'Add', and 'Import'. The main content area is a light blue form with the following sections:


- Request Title ***: Text input with value 'Test'.
- Request Type ***: Dropdown menu with value 'V4DOMAIN-MOVETOINACTIVE-P...'.
- Source Information**:
 - Domain ***: Text input with value 'indl-mithi-vv4-dcl-app.vaultastic.com'.
 - Server ***: Text input with value 'indl-mithi-vv4-dcl-app.vaultastic.com'.
- Destination Information**:
 - S3 Bucket Name ***: Text input with value 'mithi-ind1-vaultastic-legacystore'.
 - Destination Folder**: Text input with value 'dataffix-com.vaultastic.com'.
 - PST Filename ***: Text input.
 - Doc Type ***: Dropdown menu.
- Retention**:
 - Year ***: Text input.
- Other Information**:
 - Send report to ***: Text input.

At the bottom of the form are two buttons: 'Cancel' and 'Done'.

8th May 2023: Version 1.29.30.19

Improvements

The S3 bucket registration is now available from the user panel along with the other integration details. S3 buckets registered can be used as source or destination (provided the proper permissions are given) in any of the relevant request types. Users can even de-register S3 buckets from LegacyFlo using the interface



The positions of the LegacyFlo and User Initials icons were also interchanged to maintain consistency with other Mithi products.

19th Apr 2023: Version 1.29.30.18

New Features

A new request type (**ZIP-METADATA** (<https://docs.mithi.com/home/zip-metadata>)) was added to allow users to get the list of files saved within a compressed ZIP file.

29th Mar 2023: Version 1.29.30.16

New Features

Two new request types were added to LegacyFlo as per the table given below

Request Type	Description
GMAILAPI-S3-PST (https://docs.mithi.com/home/gmailapi-s3-pst)	The request type connects to GMail using the API, to copy data from a mailbox to a PST file on Vaultastic Open Store or your own S3 bucket.
M365API-S3-PST (https://docs.mithi.com/home/m365api-s3-pst)	This request type connects to an Outlook mailbox on M365 and copies data to a PST file on Vaultastic Open Store or your own S3 bucket.

22nd Feb 2023: Version 1.29.30.16

New Features

Three new request types were added to LegacyFlo as per the table given below

Request Type	Description
ZIP-EXTRACT	This request is used to extract selected files from a ZIP file containing different types of files such as PDFs, xls, docs, etc.
GMAILAPI-S3-ZIP (https://docs.mithi.com/home/gmailapi-s3-zip)	The request type connects to GMail using the API, to copy data from a mailbox to a zip file on Vaultastic Open Store or your own S3 bucket.
M365API-S3-ZIP (https://docs.mithi.com/home/m365api-s3-zip)	This request type connects to an Outlook mailbox on M365 and copies data to a ZIP file on Vaultastic Open Store or your own S3 bucket.

31st Jan 2023: Version 1.29.30.15

New Feature

A new request type ([GMAILAUTH-S3-PST](https://docs.mithi.com/home/gmailoauth-s3-pst) (<https://docs.mithi.com/home/gmailoauth-s3-pst>)) was added to LegacyFlo to allow users to copy data from a GMail mailbox accessed using domain-wide delegation, to a PST file on the Vaultastic Open Store or own S3 bucket.

25th Feb 2023: Version 1.29.30.14

New Feature

A new request type (GMAIL-S3-PST) was added to LegacyFlo which allows users to copy data from a Gmail mailbox accessed using a user id and password (less secure access) to a PST file on the Vaultastic Open Store or own S3 bucket

12th Jan 2023: Version 1.29.30.12

New Feature

LegacyFlo users can now add, modify or delete secure access keys to M365 Outlook, M365 OneDrive, GMail, GDrive and Freshdesk accounts using the application interface.

10th Jan 2023: Version 1.29.30.11

New Feature

A new request type FRESHDESK-BACKUP-RESTORE has been added to allow users to restore the Freshdesk Solution articles from a ZIP file on Vaultastic Open Store or an S3 bucket to the Freshdesk account registered with LegacyFlo

Improvement

The input parameters for request type FRESHDESK-S3-ZIP have been simplified to remove redundant information available


For details refer to:

- [Backup Freshdesk Solution Articles to Vaultastic Open Store](https://docs.mithi.com/home/backup-freshdesk-solutions-to-vaultastic-open-store) (https://docs.mithi.com/home/backup-freshdesk-solutions-to-vaultastic-open-store)
- [Backup Freshdesk Solution Articles to own S3 bucket](https://docs.mithi.com/home/backup-freshdesk-solutions-to-your-own-s3-bucket) (https://docs.mithi.com/home/backup-freshdesk-solutions-to-your-own-s3-bucket)

2nd Jan 2023: Version 1.29.30.9

New feature

A new request type **OneDrive-S3-Zip** has been added that allows you to backup files from any user's M365 OneDrive to Vaultastic Open Store or an S3 bucket in your own account.



The screenshot shows a web interface for creating a request. On the left is a dark blue sidebar with icons for 'List', 'Add', and 'Import'. The main content area is white and contains a form. At the top left of the form, there is a 'Request Title' field with 'OneDrive' entered. Below it is a 'Request Type' dropdown menu with 'ONEDRIVE-S3-ZIP' selected. The form is divided into four sections: 'Source Information' (User ID, Domain, OneDrive Folder name), 'Destination Information' (S3 Bucket Name, Destination Folder, Zip Filename), 'Filter' (Since YYYY-MM-DD), and 'Other Information' (Send report to). At the bottom of the form are 'Cancel' and 'Done' buttons.

For more details, refer to these topics:

- [Backing up OneDrive Data to Vaultastic Open Store](https://docs.mithi.com/home/backup-onedrive-data-onto-the-vaultastic-open-store) (https://docs.mithi.com/home/backup-onedrive-data-onto-the-vaultastic-open-store)
- [Backing up OneDrive Data to an S3 bucket in your own account](https://docs.mithi.com/home/backup-from-onedrive-to) (https://docs.mithi.com/home/backup-from-onedrive-to)

[your-own-s3-bucket](#))

21st Dec 2022: Version 1.29.30.6

New Feature

A new request type PST-METADATA has been added which will generate the content-list or metadata for all the mails contained in a PST. [Other ways to extract and list the contents of email data files on the Vaultastic Open Store are as listed here](#) (<https://docs.mithi.com/home/export-data-from-the-open-store>).

Improvement

The O365-O365-IMAP, GMAIL-O365-IMAP, O365-GMAIL-IMAP, O365-MITHI-IMAP-ALL and O365-MITHI-IMAP requests have been updated to authenticate using the OAuth authentication method.

25th Nov 2022: Version 1.29.30.5

New Feature

A new request type O365-S3-PST has been added to copy data from an O365 mailbox to a PST file on Vaultastic Open Store or your own S3 bucket.

11th Nov 2022: Version 1.29.30.4

Improvement

The O365-S3-ZIP request has been updated to authenticate using the OAuth authentication method.

9th Nov 2022: Version 1.29.30.3


Improvement

The O365-VAULTASTIC4 request has been updated to authenticate using the OAuth authentication method.

20th Oct 2022: Version 1.29.30.2

New feature

A new request type FRESHDESK-S3-ZIP has been added to allow admins to take a backup of the Freshdesk Solutions. The LegacyFlo request will take a backup of all the articles published at the time of the backup. In Freshdesk the Solutions are maintained in a three level hierarchy of Categories->Folders->Articles. This hierarchical structure is maintained in the backup. Each Article is a separate file. The contents of the backup are compressed into a zip file.



The screenshot shows the 'Freshdesk Solution Backup' configuration form in the Freshdesk admin interface. The form is divided into three sections: 'Source Information', 'Destination Information', and 'Other Information'. The 'Source Information' section includes fields for 'User ID' (sandip) and 'Domain' (mithi.com). The 'Destination Information' section includes fields for 'S3 Bucket Name', 'Destination Folder', and 'Zip Filename'. The 'Other Information' section includes a field for 'Send report to'. The form has 'Cancel' and 'Done' buttons at the bottom.

The backup can be taken on the Vaultastic Open Store or your own bucket. For more details on how to use LegacyFlo to backup Freshdesk Solutions, refer to these topics:

[Backup Freshdesk Solution Articles to Vaultastic Open Store \(https://docs.mithi.com/home/backup-freshdesk-solutions-to-vaultastic-open-store\)](https://docs.mithi.com/home/backup-freshdesk-solutions-to-vaultastic-open-store)

[Backup Freshdesk Solution Articles to own S3 bucket \(https://docs.mithi.com/home/backup-freshdesk-solutions-to-your-own-s3-bucket\)](https://docs.mithi.com/home/backup-freshdesk-solutions-to-your-own-s3-bucket)

25th Sep 2022: Version 1.29.30.0

New feature

A new request type GDrive-S3-Zip has been added that allows you to backup files from users GDrive to Vaultastic Inactive Store or a S3 bucket in your own account.

The screenshot shows a web-based configuration interface for a backup job. On the left is a dark blue sidebar with icons for 'List', 'Add', and 'Import'. The main content area is white and contains a form with the following sections:

- Source Information:**
 - User ID *
 - Domain *
 - GDrive Folder name
- Destination Information:**
 - S3 Bucket Name *
 - Destination Folder
 - Zip Filename *
- Filter:**
 - Since (YYYY-MM-DD)
- Other Information:**
 - Send report to *

At the bottom of the form are two buttons: 'Cancel' and 'Done'.

For more details, refer to these topics:

- [Backing up GDrive Data to Vaultastic Open Store](https://docs.mithi.com/home/backup-gdrive-data-onto-the-vaultastic-open-store) (https://docs.mithi.com/home/backup-gdrive-data-onto-the-vaultastic-open-store)
- [Backing up GDrive Data to an S3 bucket in your own account](https://docs.mithi.com/home/backup-from-gdrive-to-your-own-s3-bucket) (https://docs.mithi.com/home/backup-from-gdrive-to-your-own-s3-bucket)

22nd Sep 2022: Version 1.29.29.1


Improvements

A separate queue now handles all export requests fired from the eDiscovery Application on the Vaultastic Active Store. This ensures that end-user requests are scheduled for execution as early as possible and are not affected by other migration jobs fired via the LegacyFlo Interface

20th Sep 2022: Version 1.29.29.0

New Feature

End users can now register or revoke access to their Google Workspace API (For GDrive & GMail) using the GUI. The interface allows you to upload the access key. These are required for the requests which retrieve data from the Google Workspace to upload to Vaultastic or own S3 buckets.



For more details, refer to the topic on [Getting Access Key from Google Workspace and registering with LegacyFlo](https://docs.mithi.com/home/preparation-for-googleworkspace-by-enabling-domain-wide-delegation-using-oauth-service) (<https://docs.mithi.com/home/preparation-for-googleworkspace-by-enabling-domain-wide-delegation-using-oauth-service>)

15th Aug 2022: Version 1.29.28.9

Improvements

The performance of the LegacyFlo requests which help in storage management on Vaultastic (automatic movement of data from Active to Inactive and Vault deletion) have been optimized to give better performance and use less resources. Request type affected are:

VV4-MOVETOINACTIVE-EML

VV4-MOVETOINACTIVE-PST

VV4-VAULT-RETENTION

VV4-VAULT-DEL

9th Jul 2022: Version 1.29.28.8

Improvements

The LegacyFlo infrastructure management team can now dynamically update the concurrency of different request type to improve overall system performance

11th May 2022: Version 1.29.28.7

Improvements

- The LegacyFlo backend has been updated to use modern processors to improve overall performance
- The detailed reports generated from the UI now have additional information about the execution status

Bugs

- Resolved an issue in the validation step for the VV4-MOVETOINACTIVE-EML request type.
- Resolved an issue in getting the bucket location using S3 pre-signed URLs.
- Resolved the problem of reading the Vaultastic server credentials.

8th Feb 2022: Version 1.29.28.6

Bugs

- Resolved the problem of VV4-VAULT-RETENTION and VV4-VAULT-DEL request types not terminating

1st Feb 2022: Version 1.29.28.5

Improvements

- Improved the performance of VV4-VAULT-RETENTION and VV4-VAULT-DEL request types by launching resources in the appropriate AWS region.
- Improved the request processing to handle more requests in parallel.

Bugs

- Resolved a bug in the request type EML-PST to handle special characters in the destination folder.
-

13th Jan 2022: Version 1.29.28.4

Improvements

- Improved the performance of VV4-VAULT-DEL, VV4-VAULT-RETENTION, VAULTASTIC4-S3-PST, VAULTASTIC4-S3-EML, VAULTASTIC4-MOVETOINACTIVE-PST, VAULTASTIC4-MOVETOINACTIVE-EML, eDiscovery Export request types by optimizing the resource allocation

Bugs

- Resolved the problems in status updates for VV4-VAULT-DEL, VV4-VAULT-RETENTION, EML-METADATA and VV4-VAULT-RETENTION request types

03rd Dec 2021: Version 1.29.28.3

New Feature

Added new job type EML-METADATA to

- Create and upload metadata in the specified S3 bucket
 - Create a zip of mails whose metadata is not created and upload along with CSV
-

26th Nov 2021: Version 1.28.28.3

Improvements

Added header named 'sortableDate' which addresses the issue of sorting of rows with dates. The following jobs are affected by this update

- IMAP-S3-ZIP
 - MITHI-S3-PS
-

17th Nov 2021: Version 1.28.27.3

Improvements

Spot instances will be used for executing the following jobs

- VAULTASTIC4-S3-PST
 - VAULTASTIC4-S3-ZIP
 - VV4-MOVETOINACTIVE-EML
 - VV4-MOVETOINACTIVE-PST
-

26th Oct 2021: Version 1.28.26.3

New Feature

Added functionality to generate the API key and Client Id in Legacyflo

19th Oct 2021: Version 1.27.26.3

Improvement

The following improvements are released for the request type MAILDIR-MITHI-IMAP

- Removed Access Key and Secret key dependencies to download Zip file from S3
 - Logs can be uploaded to S3 and downloaded from Legacyflo interface
 - Solved Heap memory error by implementing pagination
-

13th Oct 2021: Version 1.27.25.3

Improvement

The following request type will migrate data over private IP to the destination server. This includes all SkyConnect servers in Mumbai and Singapore regions.

- GMAIL-MITHI-IMAP
 - O365-MITHI-IMAP
 - YAHOO-MITHI-IMAP
 - IMAP-MITHI-IMAP
-

06th Oct 2021: Version 1.27.24.3

New Feature

New Legacyflo job type PST-EXTRACT released

- All users of Legacyflo can access this job
 - In this user has to provide a CSV file with headers in the following order subject,to,from,cc,Date
 - Added src file validation. A PST of the maximum size of 100 GB is allowed
 - The UI form will have source bucket, destination bucket, source folder path, destination folderpath preconfigured with inactive store details. However, users can modify these inputs
 - This job will create a zip file of mails found while searching and upload to the provided bucket path
 - CSV file will also get uploaded to the same location
 - The CSV file can have maximum 150 rows (including headers) and 10 MB size
 - The destination zip file will be uploaded with name <user-provided>_Pst-Extract_<epochTimestamp>.zip
-

01st Oct 2021: Version 1.26.24.3

Improvements

Following improvements released for the job EML-EXTRACT

- Added src file validation. A zip with the max size of 100 GB is allowed.
 - The UI form will have the source bucket, destination bucket, source folder path, and destination folder path pre-configured with inactive store details. However, inputs can be modified.
-

23rd Sep 2021: Version 1.26.23.3

New Feature

New Legacyflo job released EML-EXTRACT

- All users of Legacyflo can access this job
- In this user has to provide a CSV file with headers in the following order subject,to,from,cc,Date
- This job will create a zip file of mails found while searching and upload to the provided bucket path
- CSV file will also get uploaded to the same location.

- This will currently launched with 400 GB of disk and can handle max zip size of 150 GB
- The CSV file can have max 150 rows (including headers) and 10 MB in size
- This job will run on on-Demand instances
- The destination zip file will be uploaded with name <user-provided>_Eml-Extract_<epochTimestamp>.zip

21st Sep 2021: Version 1.25.23.3

New Feature

Super admins can now be able to download the log file on request from the Legacyflo application

1. This option is available only for processed, failed, and partial-processed jobs
2. This can download the log file of any size
3. The download link is valid for 900 seconds

NOTE:

1. Few Jobs types do not have logs on S3 and are available only in cloudwatch
2. Logs of these job types cannot be downloaded from Legacyflo. In this case, Legacyflo will provide an appropriate error message.

01st Sep 2021: Version 1.24.23.3

Bugs fix

1. Submitting the request to export mail will export mails from the account, who submit the request. Following jobs are affected by this update,
 - VAULTASTIC4-S3-PST
 - VAULTASTIC4-S3-ZIP
 - VV4-MOVETO-INACTIVE-EML
 - VV4-MOVETO-INACTIVE-PST
2. Removed the password authentication of VV4-MOVETOINACTIVE-PST job in the Legacyflo. This job will not be validated now. Users can submit this job without the password.

17th Aug 2021: Version 1.24.23.2

Improvements

Added a CSV based error log filtering that shows more precise, clear and understandable error message of imapsync based jobs. It has a fallback error message of "Imapsync failed due to internal server error".

Following jobs are affected by this update,

- IMAP-MITHI-IMAP
- GMAIL-MITHI-IMAP
- O365-MITHI-IMAP

- O365-MITHI-IMAP-ALL
 - O365-O365-IMAP
 - YAHOO-MITHI-IMAP
 - YAHOO-O365-IMAP
 - YAHOO-OTHER-IMAP
-

06th August 2021: Version 1.24.22.2

Improvements

- Added new job type VV4-VAULT-DEL which can be used to process all the mails of the specified user for deletion.
 - Added new job type VV4-VAULT-RETENTION which can be used to process mails of one month of the specified user for deletion.
 - NOTE: These two jobs are only visible to the super admin users of Legacyflo.
-

2nd Aug 2021: Version 1.24.21.2

Improvements

- Jobs GMAIL-S3-ZIP, GMAILAUTH-S3-ZIP, IMAP-S3-ZIP, O365-S3-ZIP, YAHOO-S3-ZIP, MITHI-S3-PST and MITHI-S3-ZIP updated to create the data file and a corresponding CSV file with the metadata of the email in the data file to save time and cost when searching through the data files.

16th July 2021: Version 1.24.20.2

Improvements

- Jobs VV4-MOVETOINACTIVE-PST, VV4-MOVETOINACTIVE-EML, VAULTASTIC4-S3-PST and VAULTASTIC4-S3-ZIP updated to create the data file and a corresponding CSV file with the metadata of the email in the data file to save time and cost when searching through the data files.
-

01st July 2021: Version 1.24.19.2

New Features

- New request types added to LegacyFlo
 - VV4-MOVETOINACTIVE-EML
 - VV4-MOVETOINACTIVE-PST
 - VV4-MOVETOACTIVE-EML
 - VV4-MOVETOACTIVE-PST
-

25th May 2021: Version 1.23.19.2

New Features

- A new feature is added to generate a detailed summary report and sent as an attachment.
-

25th May 2021: Version 1.22.19.2

Improvements

- Deletion of only Pending requests is allowed in LegacyFlo from now onwards.
 - Users can not delete any request whose status is other than Pending like Processed, failed, processing, or submitted
-

24th May 2021: Version 1.22.18.2

Improvements

1. Improved search filters
 - a. Job title: users can now search their request by any sub-string in their job title
 - b. Request ID: user can now search for a single request by its request ID
 2. Added functionality to download the search results in the CSV format. The generated CSV file will be sent as an attachment to the email address provided.
-

14th April 2021: Version 1.22.17.2

New features

- New job type MITHI-S3-PST is added to the list. This job will get the data from the IMAP server, format the data in PST and store it at the provided S3 path.
 - This job type runs over on-Demand instances with a total of 200GB of disks.
 - It can process the job with a max source mailbox size of 150 GB.
 - Its concurrency depends on the source server.
-

26th March 2021: Version 1.21.17.2

New features

- New job EML-PST is added to the list.
 - Now, users can convert an EML to PST with a max size of 100 GB ZIP.
 - This job will use a separate job queue, runs over on-Demand with 200 GB of disk, very high concurrency as there will be no involvement of server.
-

22nd March 2021: Version 1.20.17.2

New features

- A forgot password link is provided on the login page of LegacyFlo

- Users can now reset their password using an OTP
-

23rd February 2021: Version 1.19.17.2

New features

- New properties added in the LegacyFlo UI
 - It will show the total data (Retries counted) synced by the job in user-readable format Bytes, KB, MB, GB, TB
-

05th February 2021: Version 1.18.17.2

New features

- New job VAULTASTIC4-REINDEXER is added to the list
 - Using parameters viz. domain, since date, and before date, it will send all mails between date range for that domain for re-indexing.
-

15th January 2021: Version 1.17.17.2

Improvements

- Additional validation for domain provided in the destination.
 - Validation will be restricted for the Vaultastic4 type of domain in the destination.
 - By this validation, there will be no impact on SkyConnect domain.
-

08th January 2021: Version 1.17.16.2

Improvements

- Updated the binaries that now scan the whole mailbox in a batch of 10000 instead of performing search operation through IMAP.
 - It will reduce the load on the server and utilizes fewer resources on the server.
 - Following jobs are affected
 - GMAIL-S3-ZIP
 - GMAILAUTH-S3-ZIP
 - O365-S3-ZIP
 - MITHI-S3-ZIP
 - IMAP-S3-ZIP
-

30th December 2020: Version 1.17.15.2

New features

- New job VV3MAILSTREAM-VAULTASTIC4 added to the LegacyFlo
 - Using parameters viz mailstream bucket, date Range, and comma-separated domains, users can scan all the mails in the provided date range and domains and send them to V4 MR.
-

11th December 2020: Version 1.16.15.2

Improvements

- O365-VAULTASTIC4 job type in LegacyFlo app will now support the migration of delegated users with admin password by enabling the user delegation in exchange server and providing domain followed by '/<user name>' as job input form of source side.
-

25th November 2020: Version 1.16.14.2

Improvements

- Improved the architecture of Vaultastic4 export by removing the intermediate FTS proxy for downloading mails and it addressed the slow download speed. It gained speed nearly 6x times the old one.
 - Created an LDAP patch that extends the limit of eDiscovery export limit for the user to allow them to submit an export request up to 45 GB.
 - Created a single Zip/PST of exported Data, previously it was split into multiple files.
-

25th November 2020: Version 1.16.13.2

Improvements

- Improved the caching mechanism in the following job types.
 - Earlier it was using messageID and MD5 sum from the header to cache mails.
 - The new caching mechanism uses message UID and it results in the sync of all mails from src to destination because even if two messages are the same they have different message UID.
 - Impacted job Types
 - VAULTASTIC3-VAULTASTIC4
 - GMAIL-VAULTASTIC4
 - GMAILAUTH-VAULTASTIC4
 - YAHOO-VAULTASTIC4
 - O365-VAULTASTIC4
 - EXCHANGE-VAULTASTIC4
 - MITHI-S3-ZIP
 - GMAIL-S3-ZIP
 - GMAILAUTH-S3-ZIP
 - O365-S3-ZIP
 - YAHOO-S3-ZIP
 - IMAP-S3-ZIP
-

29th September 2020: Version 1.16.12.2

Improvements

- Ingest data in EML, MBOX, MAILDIR, or PST format into Vaultastic or SkyConnect
-

22nd September 2020: Version 1.16.11.2

New Features

- New job types added to LegacyFlo
 - IMAP-VAULTASTIC4
 - EXCHANGE-VAULTASTIC4
-

08th September 2020: Version 1.15.11.2

New Features

- New job types added to LegacyFlo
 - GMAIL-VAULTASTIC4
 - GMAILAUTH-VAULTASTIC4
 - O365-VAULTASTIC4
 - YAHOO-VAULTASTIC4
-

02nd September 2020: Version 1.14.11.2

New Features

- New job types added to LegacyFlo to import data files in Vaultastic 4
 - PST-VAULTASTIC4
 - EML-VAULTASTIC4
-

29th August 2020: Version 1.13.11.2

New Features

- New job type added to LegacyFlo that allows super admins to migrate from Vaultastic 3 to Vaultastic 4
 - VAULTASTIC3-VAULTASTIC4
-

06th August 2020: Version 1.12.11.2

New Features

- New input parameters s3sourceBucket and s3sourceBucket Region added to the UI for the following jobs.
 - EML-MITHI-IMAP

- PST-MITHI-IMAP
 - MBOX-MITHI-IMAP
 - MAILDIR-MITHI-IMAP
-

03rd August 2020: Version 1.11.11.2

New Features

- The UI change for import to Vaultastic4 Job Type deployed in the staging account.
 - With this update user will not have to know the vaultastic4 bucket its path. He can use the IMAP credentials to post the job unlike the other IMAP jobs.
 - Affected Job types:
 - EML-VAULTASTIC4
 - PST-VAULTASTIC4
 - MAILDIR-VAULTASTIC4
 - MBOX-VAULTASTIC4
 - GMAIL-VAULTASTIC4
 - GMAILAUTH-VAULTASTIC4
 - O365-VAULTASTIC4
 - VAULTASTIC3-VAULTASTIC4
 - YAHOO-VAULTASTIC4
-

19th July 2020: Version 1.10.11.2

New Features

- New input parameters **s3sourceBucket** and **s3sourceBucket Region** added to the following jobs.
 - EML-MITHI-IMAP
 - PST-MITHI-IMAP
 - MBOX-MITHI-IMAP
 - MAILDIR-MITHI-IMAP
-

24th June 2020: Version 1.9.11.2

New Features

Release in Mithi staging account

- LegacyFlo new App type Vaultastic4-s3-zip is deployed in the staging account
- Users can now export mails from vaultastic4 to s3 zip like MITHI-S3-ZIP. This job uses solr queries and Fts API to fetch export mails. Users can export all emails, emails between a date range.
- In the case of Partial processed, the LegacyFlo UI will turn into an Orange processed icon instead of the green processed icon.
- Users are not allowed to resubmit but can restart the job again.

Improvements

- Mails greater than 10 MB in size can be exported using this job, which was a limitation on v3 export.
-

16th January 2020: Version 1.8.10.2

New Features

- Added new request type MAILDIR-MITHI-IMAP in LegacyFlo

Improvements

- Now user can select the source folder path from the source mailbox folder list for the request type MITHI-S3-ZIP.
 - LegacyFlo directory table added to store user details.
 - Directory table is currently used to enable or disable a LegacyFlo user.
 - If a user is disabled, then that user will not be able to submit a job for execution.
 - If an entry for a user does not exist in the table, then the user will be treated as an enabled user
-

16th December 2019: Version 1.7.9.2

New Features

- New request type MITHI-S3-ZIP added to LegacyFlo
 - Users can now sync emails from MITHI account to s3 bucket in EML zip format
 - The batchjob will now launch in S3 region when the job is either O365-S3-ZIP ,YAHOO-S3-ZIP or Gmail-S3-Zip and in the Mithi server region when the job is for Mithi-S3-Zip.
-

10th December 2019: Version 1.6.9.2

New Features

- New request types added to LegacyFlo
 - O365-S3-ZIP: Users can now sync emails from an O365 account to an S3 bucket in EML ZIP format
 - YAHOO-S3-ZIP: Users can now sync emails from a Yahoo account to an S3 bucket in EML ZIP format
-

22nd October 2019: Version 1.5.9.2

New Features

- New request types added to LegacyFlo
 - Gmail-S3-Zip: Users can now sync emails from a Gmail account to an S3 bucket in EML zip format
-

21st October 2019: Version 1.4.9.2

New Features

- Users can now sync a single folder from the source IMAP account to the destination account.
- Users have to provide the exact path of the folder from the source folder with folder separator and prefix.
 - For example,
 - In the case of O365 & GSUIT:
 - Folder Prefix: N/A
 - folder separator: '/'
 - In Case of Mithi servers:
 - Folder Prefix: INBOX.
 - Folder separator: '.'

Bug fixes

- While syncing folders get skipped if the folder name contains ',' in it.
 - Sometimes multiple status update calls were happening in a single minute.
-

16th October 2019: Version 1.4.8.1

Improvements

- Removed the batch job queue reversion from the config file.
 - AWS Batch automatically picks the latest reversion of the job queue though not provided.
 - Added Cross-region support in LegacyFlo in which Ec2 launches (for processing the import job) in the same region where the mail server is, which reduces cross-region data transfer costs.
-

04th October 2019: Version 1.4.7.1

New Features

- New request types added to LegacyFlo
 - YAHOO-MITHI-IMAP
 - O365-GMAIL-IMAP
 - GMAIL-O365-IMAP
 - YAHOO-O365-IMAP
 - YAHOO-GMAIL-IMAP
 - YAHOO-OTHER-IMAP
 - Rename old request types names to make uniform naming.
 - PST-MITHI-IMAP
 - EML-MITHI-IMAP
 - MBOX-MITHI-IMAP
 - IMAP-MITHI-IMAP
 - O365-MITHI-IMAP
 - GMAIL-MITHI-IMAP
 - EXCHANGE-MITHI-IMAP
 - Added support for importing data into external Servers (Servers Other than Mithi servers)
-

01st October 2019: Version 1.3.7.1

Improvements

- Updated Node js version for lambdas from v6.10 to v8.10.
-

16th September 2019: Version 1.3.6.1

New Features

- Added Central status update module to update CADB and RequestRepository parallely. If the status update call failed then the status update will be retried after 2 mins for 10 times.
 - Added additional Tagging on EC2 And EBS volume to get consumption based on request id, batchjob id, admin id, and user id for whom migrations are happening.
 - Added the Cleanup process on/ batch work to remove execution records of previous execution if any.
 - Now, histlive.mithi.com and LegacyFlo.mithi.com both are pointing to the same CloudFront distribution. In the earlier version, they were pointing to 2 separate distributions.
-

03rd September 2019: Version 1.2.6.1

Improvements

- Removed restriction on characters in the password, except for " as imapsync not able to handle characters.
 - Now users can use (',\$,\\, !, #, @, %, ^, &, *, (,), ') as part of password.
-

09th August 2019: Version 1.2.5.1

Improvements

- Added New BatchQueue to launch EC2 instance with XLEBS volume attached to it to solve "No disk Space left" issue for imapsync of mail count greater than 500000.
-

16th July 2019: Version 1.2.4.1

Improvements

- Solved negative data sync in bytes issue
 - made legacyflo.mithi.com live with new and improved UI.
 - removed browser dependent bugs.
-

28th June 2019: Version 1.2.3.1

New Features

- Legacy Flo CI/CD for UI Deployment is ready and Deployed till the staging account will do deploy in the live account after Testing.
-

08th March 2019: Version 1.1.3.1

Improvements

- In EML and PST sync added Source mail stats, Destination mail stats, and total bytes transferred from source to destination.
-

07th March 2019: Version 1.1.2.1

Improvements

- MBOX sync added source mail stats, destination mail stats, and total bytes transferred from source to destination.
 - Got problem where if sync is in progress and if destination server gets down or start to refuse connection module keeps trying to sync further messages without raising an exception and for each message it tries to connect server 3 times so it just keeps wasting time. so added condition which will break sync after trying to upload 10 messages and get server refuse error.
-

05th March 2019: Version 1.1.1.1

Bug Fixes

- MBOX Job zip file extraction failing if containing path have Unicode characters:
 - If the zip file module failed to extract the file then, unzip command will be called to extract the file if it failed to extract then the user will be shown with an error given by Unzip command
-

28th February 2019: Version 1.1.1.0

Improvements

- batchInputValidatior lambda
 - Added rejectUnauthorized: false, secureProtocol:'TLSv1_method' in tlsOptions to (Zimbra server connection issue)
 - Added validation for the file size limit for PST (48 Gb) and zip(12 Gb) files.
-

27th February 2019: Version 1.1.0.0

Improvements

- Menu disables on clicking on the start all button.
 - Display the no of jobs currently visible on the page.
 - Solved page number issue (page number was not reset when a new filter is applied on the job)
 - Job timings are shown to users according to the local timezone. For admin, it will be in both local and UTC time
 - Information menu UI Changed
 - Removed read-only attribute in the edit section of Imap
-
-