

Backup from OneDrive to your own S3 bucket

Table of Contents

[Overview](#)

[Step 1: Preparing your S3 bucket](#)

[A. Create an S3 bucket on AWS](#)

[B. Register your S3 bucket as a source/destination S3 bucket on LegacyFlo](#)

[Step 2: Getting access to the OneDrive data](#)

[Step 3: Submitting a LegacyFlo request](#)

[Source Information](#)

[Filter Information](#)

[Other Information](#)

[Destination Information](#)

[Step 3 \(optional\): Submitting multiple LegacyFlo requests to backup data for multiple users](#)

Overview

- OneDrive from the M365 suite of products contains important documents that need to be frequently backed up.
- Using the LegacyFlo OneDrive-S3-ZIP request type, you can now backup files from any user's OneDrive to a S3 bucket in your AWS account.

Step 1: Preparing your S3 bucket

A. Create an S3 bucket on AWS

Note: We recommend that you use a single S3 bucket in your AWS account to receive LegacyFlo request output.

Create your S3 bucket in a supported region and allow list and write access to LegacyFlo. The steps for the same are given in the links below:

1. [Get an AWS account](https://docs.mithi.com/home/faqs-aws-s3#how-do-i-get-an-aws-account-) (<https://docs.mithi.com/home/faqs-aws-s3#how-do-i-get-an-aws-account->).
2. [Create an S3 bucket](https://docs.mithi.com/home/faqs-aws-s3#how-do-i-create-a-s3-bucket-) (<https://docs.mithi.com/home/faqs-aws-s3#how-do-i-create-a-s3-bucket->) in a region supported by Mithi.
3. Give necessary permissions.
 1. When the S3 bucket is used as a source, give list and read access to the objects on the bucket
 2. When the S3 bucket is used as a destination, [allow list and write access to LegacyFlo](https://docs.mithi.com/home/faqs-aws-s3#how-do-i-grant-access-to-my-s3-bucket-to-legacyflo-) (<https://docs.mithi.com/home/faqs-aws-s3#how-do-i-grant-access-to-my-s3-bucket-to-legacyflo->).

B. Register your S3 bucket as a source/destination S3 bucket on LegacyFlo

For LegacyFlo to upload data to your S3 bucket, it needs to be added to as a destination S3 bucket in LegacyFlo. The steps for doing the same are as given below:

Note: This step has to be done only once for each destination bucket.

1. [Login to LegacyFlo](https://docs.mithi.com/home/how-to-login-to-the-legacyflo-application) (<https://docs.mithi.com/home/how-to-login-to-the-legacyflo-application>)
2. Click on the Initials icon on the top of the left-most pane.
3. Select Register S3 bucket
4. Click on Add S3 bucket button. A dialog box will pop-up
5. On the **Prepare Bucket** page, you will be shown the list of steps to be completed to create and grant access to the S3 bucket. Confirm that you have done as instructed and click on **I confirm that the above configuration is complete.**
6. Click **Continue**
7. On the **Configure, Verify & Save** page, give the **Bucket Name** and select the **Bucket Region**.
8. Click **Verify**. LegacyFlo will check the access to the bucket.
9. If LegacyFlo cannot access the bucket, you will be shown an error message similar to **All access to this object has been disabled. Check S3 access rights and name and retry.**
10. If the connection is successful then click on **Save**. LegacyFlo will remember this S3 for further requests.

Step 2: Getting access to the OneDrive data

This is a two-step process, in which you generate the API key (one time) and grant OneDrive access for all the accounts whose OneDrive data needs to be accessed

Step 1: [Get access to the M365 Graph API](https://docs.mithi.com/home/getting-access-to-the-m365-graph-api) (<https://docs.mithi.com/home/getting-access-to-the-m365-graph-api>)

Step 2: [Make the user's OneDrive content available for access via the API](https://docs.mithi.com/home/preparation-of-m365-for-onedrive-access-via-links) (<https://docs.mithi.com/home/preparation-of-m365-for-onedrive-access-via-links>) (This step has to be done for all users whose OneDrive data needs to be accessed.)

Step 3: Submitting a LegacyFlo request

You can submit requests to back up OneDrive data using the LegacyFlo interface.

The request type to be used is **OneDrive-S3-ZIP**.

The parameters for the request are as follows:

Source Information

FIELD NAME	DESCRIPTION	SAMPLE VALUE
------------	-------------	--------------

FIELD NAME	DESCRIPTION	SAMPLE VALUE
User ID	User id on OneDrive domain whose data needs to be imported (Note: The id should not contain the domain name.)	"john"
Domain	Source domain on M365	"baya.com"
OneDrive Folder name	The folder from which data needs to be backed up on the destination. All the contents of this folder and its subfolders will be backed up. Note that the folder name should not start with a /. If all the OneDrive data is to be backed up, leave this value empty	"23-Jun-2020"

Filter Information

FIELD NAME	DESCRIPTION	SAMPLE VALUE
Since (DD- MMM-YYYY)	If this field is left blank, all the files in the source will be added to the backup. If this field has a valid input, then all files which were created or modified since the date specified will be added to the backup.	"31- JAN- 2022"

Other Information

FIELD NAME	DESCRIPTION	SAMPLE VALUE
Send report to	A valid email id to which status reports are sent	john@baya.com

Destination Information

Step 3 (optional): Submitting multiple LegacyFlo requests to backup data for multiple users

To upload multiple jobs using a CSV, [create a CSV file](https://docs.mithi.com/home/how-to-submit-multiple-data-migration-requests-in-legacyflo-application#create-a-csv-for-defining-multiple-requests) (https://docs.mithi.com/home/how-to-submit-multiple-data-migration-requests-in-legacyflo-application#create-a-csv-for-defining-multiple-requests) with a list of all the users and other details required to upload data.